

MODERN SCIENTIFIC CHALLENGES AND TRENDS

COLLECTION OF SCIENTIFIC WORKS
OF THE INTERNATIONAL SCIENTIFIC CONFERENCE

Issue 7(29)

Warsaw 2020



MODERN SCIENTIFIC CHALLENGES AND TRENDS

ISSUE 7 (29)

JULY 2020

Collection of Scientific Works

WARSAW, POLAND Wydawnictwo Naukowe "iScience" 30th July 2020

«MODERN SCIENTIFIC CHALLENGES AND TRENDS»

SCIENCECENTRUM.PL

ISSUE 7(29)

ISBN 978-83-949403-3-1

ISBN 978-83-949403-3-1

MODERN SCIENTIFIC CHALLENGES AND TRENDS: a collection scientific works of the International scientific conference (30th July, 2020) - Warsaw: Sp. z o. o. "iScience", 2020. - 117 p.

Editorial board:

Bakhtiyor Amonov, Doctor of Political Sciences, Associate Professor of Tashkent University of Information Technologies
Bugajewski K. A., doktor nauk medycznych, profesor nadzwyczajny
Czarnomorski Państwowy Uniwersytet imienia Piotra Mohyły
Temirbek Ametov, PhD
Marina Berdina, PhD
Hurshida Ustadjalilova, PhD
Oleh Vodianyi, PhD

Languages of publication: українська, русский, english, polski, беларуская, казакша, o'zbek, limba română, кыргыз тили, Հшյերեն

The compilation consists of scientific researches of scientists, post-graduate students and students who participated International Scientific Conference "MODERN SCIENTIFIC CHALLENGES AND TRENDS". Which took place in Warsaw on 30th July, 2020.

Conference proceedings are recomanded for scientits and teachers in higher education esteblishments. They can be used in education, including the process of post - graduate teaching, preparation for obtain bachelors' and masters' degrees. The review of all articles was accomplished by experts, materials are according to authors copyright. The authors are responsible for content, researches results and errors.

ISBN 978-83-949403-3-1

© Sp. z o. o. "iScience", 2020 © Authors, 2020

ISSUE 7(29) ISBN 978-83-949403-3-1

TABLE OF CONTENTS

SECTION: AGRICULTURAL SCIENCE Қаршиев А. Э. (Тошкент, Ўзбекистон)	
ЎРИК НАВЛАРЙНИНГ ҚИШГА ЧИДАМЛИЛИГИНИ ЎРГАНИШ	5
SECTION: ECOLOGY Gaybulleva Madina, Maxsudova Gulnora, Abdulxayev Javohir (Fargʻona, Oʻzbekiston) EKOTURIZMNING TABIATGA TASIRI	11
SECTION: ECONOMICS Illiashenko Olena, Lytovchenko Olena (Kharkiv, Ukraine) METHODOLOGICAL BASIS OF THE ECONOMIC SECURITY SYSTEM COMPOSITION	15
SECTION: PEDAGOGY	
Usmonov M., Karimova U., Sodiqova Matluba, Xidirova Mehri (Jizzax, O'zbekiston) TA'LIMDA AXBOROT-KOMMUNIKATSION	
ТЕХNOLOGIYALAR FOYDALANISH	20
КУЛЬТУРЫ БУДУЩИХ ПЕДАГОГОВУсмонов М., Каримова У., Яхшибоева Дилафрўз, Мухаммадиева Шохиста (Жиззах, Ўзбекистон)	24
ТАЪЛИМ ВА ФАН СОХАСИНИ РИВОЖЛАНТИРИШ ЙЎЛИДА ОЛИБ БОРИЛАЁТГАН ИШЛАРНИНГ ХАЁТИЙЛИГИ	28
Халлокова Максудахон Эргашевна (Фарғона, Ўзбекистон) НОДАВЛАТ ТАЪЛИМ МУАССАСАЛАРИДА ТАЪЛИМ СИФАТИНИ ОШИРИШ МАЗМУНИ	30
SECTION: PHARMACEUTICAL SCIENCE	
Maliuhina O. O., Smoilovska H. P. (Zaporizhzhia, Ukraine) STUDY OF THE CONTENT OF UNSATURATED FATTY ACIDS IN SEEDS OF TAGETES ERECTA L. VAR. «ALBATROS»	35
SECTION: SCIENCE OF LAW	
Berdilo Rodica (Chişinău, Moldova) EROAREA DE FAPT ÎN CAZUL OMORULUI SĂVÂRȘIT ÎN STARE DE AFECT	38
Berdilo Rodica (Chişinău, Moldova) EMOŢIILE CA SEMN AL LATURII SUBIECTIVE A INFRACŢIUNII	50
Brînza Sergiu Mihail, Stati Vitalie Anatol (Chişinău, Moldova) DE CE NU ESTE OPORTUNĂ ABROGAREA ART. 307	50
DIN CODUL PENAL AL REPUBLICII MOLDOVA	61

SCIENCECENTRUM.PL

ISSUE 7(29)

ISBN 978-83-949403-3-1

SECTION: PHARMACEUTICAL SCIENCE

Maliuhina O. O., Smoilovska H. P. (Zaporizhzhia, Ukraine)

STUDY OF THE CONTENT OF UNSATURATED FATTY ACIDS IN SEEDS OF TAGETES ERECTA L. VAR. «ALBATROS»

Annotation. The paper considers the results of a study of the content fatty acids in the vegetable plant raw materials (seeds) Tagetes erecta L. var. «Albatros». The fatty acid content was determined by gas chromatography. The quantitative content of fatty acids was determined by the method of internal normalization, taking the sum of the areas of all peaks for 100%. As a result of the experiment, it was found that in the seeds of Tagetes erecta L. var. «Albatros» are dominated by polyunsaturated fatty acids. The main unsaturated fatty acids of the studied vegetable plant material are linolenic (up to $35.970 \pm 1.799\%$) and linoleic (up to $26.492 \pm 1.325\%$) acids.

Ключевые слова: Tagetes erecta L., fatty acids, unsaturated fatty acids, marigold, seeds.

Fatty acids in the human body perform a number of such biological functions as participation in the synthesis of thromboxanes, prostaglandins, structural elements of biological membranes, hormones, so they are promising for the production of medicaments with a wide spectrum of action [1-4]. Vegetable raw materials are an important source of fatty acids [4].

Tagetes erecta L. is a widespread, cultivated species of the genus Tagetes L. (Asteraceae), which known for the content of a large amount of biologically active substances, including carotenoids, flavonoids, essential oil, hydroxycinnamic acids, vitamins [5, 6]. Extracts from plant materials of marigolds exhibit antimicrobial, antifungal, antioxidant, wound healing, gastroprotective and hepatoprotective activity, and it is used to treat wounds and burns [5-7].

Despite the fact, that Tagetes species are used to treat a variety of diseases, the fatty acid composition of marigolds has not been studied enough. Therefore, the study of the qualitative and quantitative composition of the fatty acids of the seeds of Tagetes erecta L. is a big practical importance.

The aim of the work was to study of the content of unsaturated fatty acids in the seeds of Tagetes erecta L. var «Albatros».

Materials and methods. Marigold seeds were collected during the period of full maturity (July-August 2019) on the area of Ukraine. Seeds was dried to an airdry state in an oven at a temperature of + 60°C [1]. The content of unsaturated fatty acids in vegetable raw materials was perform by gas chromatography according to the method of State Standrt 304187-96 «Vegetable oils. The method of determining the fatty acid composition». The quantitative content of fatty acids was determined by the method of internal normalization, taking the sum of the areas of all peaks for 100% [8, 9]. The results reported in this study are the average of at least five

SCIENCECENTRUM.PL

ISSUE 7(29)

ISBN 978-83-949403-3-1

measurements and they were expressed as means ± standard deviations. The received data were calculated and statistically analyzed using the Statgraphics software "Microsoft Office Excel 10".

Results and discussion. Up to 6 unsaturated fatty acids were determined by gas chromatography in vegetable raw materials of Tagetes erecta L. var. «Albatros» (Fig. 1).




Fig. 1. Unsaturated fatty acids of Tagetes erecta L. var. «Albatros» seeds

As a result of the experiment, it was found that in the seeds of Tagetes erecta L. var. «Albatros» are dominated by polyunsaturated fatty acids (up to 41 \pm 2.05% of the total fatty acids). The main unsaturated fatty acids of the studied vegetable plant material are linolenic (up to 35.970 \pm 1.799%) and linoleic (up to 26.492 \pm 1.325%) acids. Oleic acid is present in a significant amount (up to 14,371 \pm 0.72%). Eicosadienoic and docosadienoic fatty acids are present in small amounts, palmitoleic acid is present in trace amounts (up to 0.1%). The results of the study show the necessity for all round study of vegetable plant material in the seeds of Tagetes erecta L. var. «Albatros» as a promising plant source of unsaturated fatty acids.

Conclusions. The content of unsaturated fatty acids in the seeds of erect marigolds of the «Albatros» variety (Tagetes erecta L. var «Albatros») was studied. It has been fixed that polyunsaturated fatty acids dominate in the studied vegetable plant raw materials, the main of which are linolenic and linoleic acids.

REFERENCES:

- Kyslychenko V. S., Zhuravel I. O., Marchyshyn S. M., Minarchenko V. M., Khvorost O. P (2015), «Pharmacognosy: the basic textbook for students of higher educational institutions (pharmaceutical faculties)»[Farmakohnoziia: bazovyi pidruch. dlia stud. vyshch. farmats. navch. zakl. (farmats f-tiv) IV rivnia akredytatsii], NFaU: Zoloti Storinky, Kharkiv, 736 p.
- 2. Mykhailenko N. F. (2016) "Polyunsaturated fatty acids of water-plants: properties and prospects of application" [«Polinenasycheni zhyrni kysloty vodorostei: vlastyvosti ta perspektyvy zastosuvannia»], Naukovyi chasopys NPU Imeni M. P. Drahomanova. Seryia 5. Pedahohichni nauky: realii ta perspektyvy, № 53, pp. 176-183

«MODERN SCIENTIFIC CHALLENGES AND TRENDS»

SCIENCECENTRUM.PL

ISSUE 7(29)

ISBN 978-83-949403-3-1

- 3. Pozdnyakov A. A., Pozdnyakov A. M. Alabovsky V.V., "The Role of Fatty Acids in the Nutritional Component of the Current Generation of Adopted Baby Food Formulas" [«Mesto y rol zhyrnykh kyslot v nutrytyvnoi sostavliaiushchei sovremennoho pokolenyia adaptyrovannykh smesei»], Belgorod State University Scientific Bulletin. Medicine. Pharmacy, Vol. 16 (135), available at: https://cyberleninka.ru/article/n/mesto-i-rol-zhirnyh-kislot-v-nutritivnoy-sostavlyayuschey-sovremennogo-pokoleniya-adaptirovannyh-smesey.
- 4. Fernandes L., Raalhosa E., Pereira J. A., Saraiva J. A., Casal S. (2018) «The Unexplorer Potential of Edible Flowers Lipids», Agriculture, №8 (146). available at:
 - https://www.researchgate.net/publication/327793888_The_Unexplored_Potential of Edible Flowers Lipids
- 5. Li-wei XU, Juan C., Huan-Yang QI, Yan-ping SHI (2012) «Phytochemicals and Their Biological Activities of Plants in Tagetes L.», Chinese Herbal Medicines, №4 (2), pp. 103-117.
- 6. Salehi B., Valussi M., Morais-Braga M.F.B., Carneiro J.N.P., Leal ALAB, Coutinho HDM, Vitalini S, Kręgiel D, Antolak H1, Sharifi-Rad M, Silva NCC, Yousaf Z, Martorell M, Iriti M, Carradori S, Sharifi-Rad J (2018) «Tagetes spp. Essential Oils and Other Extracts: Chemical Characterization and Biological Activity», Molecules, №23 (287). available at: https://www.ncbi.nlm.nih.gov/pubmed/30388858
- 7. Kusmiati, Caesarianto W., Afiati F., Hutabarat R. (2019) «Effect luein of marigold flower (Tagetes erecta L.) on decreasing glucose and malondialdehyde levels in Alloxan-induced blood mice», AIP Conference Proceedings, AIP Conference, available at: http://aip.scitation.org/doi/abs/10.1063/1.5115726
- 8. «State Standrt 30418-96 Vegetable oils. The method for determination of fatty acids compositions» [«HOST 30418-96 Masla rastytelnye. Metod opredelenyia zhyrnokyslotnoho sostava»], available at: http://docs.cntd.ru/document/gost-30418-96.
- «State standard of Ukraine ISO 5509-2002 Animals and vegetable fats and oils. Preparation of fatty acids methyl esters» [«DSTU ISO 5509-2002 Zhyry tvarynni i roslynni ta olii. Pryhotuvannia metylovykh efiriv zhyrnykh kyslot»], available at: http://document.ua/zhiri-tvarinni-i-roslinni-ta-oliyi_-prigotuvannja-metilovih--std9838.html