

**МІНІСТЕРСТВО ОХОРОНИ ЗДОРОВ'Я
ЗАПОРІЗЬКИЙ ДЕРЖАВНИЙ МЕДИЧНИЙ УНІВЕРСИТЕТ**

**ВСЕУКРАЇНСЬКА НАУКОВО-ПРАКТИЧНА
КОНФЕРЕНЦІЯ**

**АКТУАЛЬНІ ПИТАННЯ СУЧАСНОЇ
МЕДИЦИНІ І ФАРМАЦІЇ**

(ДО 50-РІЧЧЯ ЗАСНУВАННЯ ЗДМУ)

ТЕЗИ ДОПОВІДЕЙ

18 – 25 КВІТНЯ 2018 р.

30 ТРАВНЯ 2018 р.

М. ЗАПОРІЖЖЯ

ОРГАНІЗАЦІЙНИЙ КОМІТЕТ

Голова оргкомітету: ректор Запорізького державного медичного університету, проф. Колесник Ю.М.

Заступники голови: проф. Туманський В.О., доц. Авраменко М.О.

Члени оргкомітету: проф. Візір В.А.; доц. Моргунцова С.А.; доц. Компанієць В.М.; доц. Кремзер О.А., д.біол.н., доц. Павлов С.В., доц. Полковніков Ю.Ф.; д.мед.н., доц. Разнатовська О.М.; доц. Шишкін М.А.

Секретаріат: Підкович Н.В.; Баранова Н.В.

CLINICAL FEATURES OF EXTERNAL GENITAL ENDOMETRIOSIS

Bohomolova O. A.
Zaporizhzhia State Medical University

Introduction: Despite the long-term studies of endometriosis, there is little known reliable information about the etiology and pathogenesis of the disease. The problem of treatment of external genital endometriosis remains relevant in connection with the increase in its frequency and the presence of clinical forms. **The aim** of our study was to investigate the clinical features of external genital endometriosis of varying degrees of activity. Materials and methods: a comparative analysis of the clinical course, duration of the disease, condition of the reproductive system, age of patients in 55 women with external genital endometriosis of varying severity (I-IV) was carried out. A complete clinical and laboratory examination of patients included clinical-anamnestic, hormonal, ultrasound, roentgenologic, endoscopic examination. Statistical processing and final evaluation of the data was carried out using the Microsoft Excel program. **Results:** The age of the patients ranged from 22 to 56 years; the average age was 37 ± 2 years. The most common complaint was pain during menstruation – in 48 (87,3%) women. It is also common complaints patients have menorrhagia – in 23 women (41,8%) and pa in syndrome is of a permanent nature – in 25 women (45,45%). Almost all patients reported increased pain syndrome over time. Pains of a persistent nature were noted by 19 (34,5%) women, and by periodic 16 (29,09%) women. Almost every second woman (25 (45,45%) women) suffered from infertility, of which 19 (34,54%) women suffered from primary and 6 women (10,9%) secondary infertility. The study of the family history showed that 15 (27,27%) patients with OGE had an aggravated heredity in the form of extragenital localization tumors (GIT, lungs, kidneys, bones), 5 (9,09%) patients had uterine myoma, 1 woman (1,81%) – endocrinopathy (diabetes mellitus) and 9 women (16,36%) – hyperplastic processes of the mammary glands. Normal body mass index (BMI) was observed in 43 (78,18%) women, 7 (12,72%) women had an increased body weight (BMI 26-30), and 5 (9,09%) women had a body weight less than the norm (BMI to 26). Attention is drawn to the high proportion of inflammation of the uterine appendages (in 38 (69,09%) women). Various methods of contraception were used by only 19 (34,54%) of the women surveyed. 4 (7,27%) of women used combined oral contraceptives (COCs) and 3 (5,45%) – the barrier method. Much more often used method VMK (12 (21,82%) woman). In a history of 7 (12,72%) patients, resection or removal of the ovary due to the endometrioid cyst was noted, in 4 (7,27%), women – apoplexy or torsion of the cyst legs. Before admission to surgical treatment, 41 (74,54%) patients received long-term hormone therapy (GnRH agonists, synthetic progestins with gestagens). Analysis of the results showed an increase in the values of cancer antigen 125 (Cancer Antigen 125, CA125). The average value of CA125 content in serum was $37,4 \pm 4,45$ U/ml. The level of CA125 reliably correlated with the severity of the process, complaints of painful menstruation, inflammatory diseases of the uterine appendages, and a hereditary burden of uterine cancer, which coincides with the data of other authors. **CONCLUSIONS.** External genital endometriosis is one of the most mysterious and unsolved problems of modern gynecologists, which firmly holds one of the leading places both in the structure of gynecological pathology and in the structure of female infertility.

РОЗДІЛ II	
АКТУАЛЬНІ ПРОБЛЕМИ СУЧАСНОЇ КЛІНІЧНОЇ МЕДИЦИНИ	31
Авраменко Н. В., Барковський Д. Є., Постоленко В. Ю.	
ГОРМОНАЛЬНО-ІМУНОЛОГІЧНІ ОСОБЛИВОСТІ ЕНДОМЕТРІОЗУ МАТКИ У ЖІНОК З ПАТОЛОГІЄЮ	
ЩІТОПОДІБНОЇ ЗАЛОЗИ ТА БЕЗПЛІДДЯМ	31
Авраменко Н. В., Чиж В. В.	
ТАКТИКА ПІДГОТОВКИ ЕНДОМЕТРІЯ У ПАЦІЄНТОК В ПРОГРАМІ ДРТ ДЛЯ ПІДВИЩЕННЯ ЕФЕКТИВНОСТІ	
ЛІКУВАННЯ	31
Андреєва Я. О.	
ДОБОВІ КОЛІВАННЯ АРТЕРІАЛЬНОГО ТИСКУ У ПАЦІЄНТІВ З СИНДРОМОМ ОБСТРУКТИВНОГО АПНОЭ СНУ ТА	
СЕРЦЕВОЮ НЕДОСТАТНІСТЮ ЗІ ЗБЕРЕЖЕНОЮ ФРАКЦІЄЮ ВИКИДУ	32
Барковський Д. Є., Семененко І. В.	
ВПЛИВ ПЕРЕНЕСЕНОГО ПРЕНАТАЛЬНОГО СТРЕСУ НА РЕПРОДУКТИВНЕ ЗДОРОВ'Я ЖІНОК	32
Бачурін Г.В., Богун М.Ю., Ломака С.С.	
ПОРІВНЯННЯ УСКЛАДНЕТЬ У РАНЬОМУ ПІСЛЯОПЕРАЦІЙНОМУ ПЕРІОДІ У ХВОРИХ З ДІАГНОЗОМ	
ДОБРОЯКІСНА ГІПЕРПЛАЗІЯ ПЕРЕДМІХУРОВОЇ ЗАЛОЗИ.....	33
Безуглый М. Б., Синяговская В. Н.	
ЭФФЕКТИВНОСТЬ ХИРУРГИЧЕСКОГО ЛЕЧЕНИЯ ИДИОПАТИЧЕСКИХ МАКУЛЯРНЫХ РАЗРЫВОВ	33
Бессікало Т.Г., Плохушко В. В.	
ОБГРУНТОВАНІСТЬ ПРИЗНАЧЕНЬ АНТИМІКРОБНИХ ПРЕПАРАТІВ У ХВОРИХ З ГОСТРИМИ РЕСПІРАТОРНИМИ	
ЗАХВОРЮВАННЯМИ	34
Біленький А.С.	
ОСОБЛИВОСТІ ЛІКУВАННЯ ПАЦІЄНТІВ З ЛЮМБОШАЛГІЄЮ ТА КОКСАРТРОЗОМ	34
Білугіна О. В., Городокін А. Д.	
ПРИНЦИПИ ПСИХОТЕРАПІЇ ОСІВ ІЗ НЕВРОТИЧНОЮ ПАТОЛОГІЄЮ, ЩО БЕРУТЬ УЧАСТЬ	
У ПРОГРАМАХ ЗАМІСНОЇ ТЕРАПІЇ ЗАЛЕЖНОСТІ СИНТЕТИЧНИМИ ОПІОЇДАМИ	35
Білугіна Т. В., Онопченко С. П.	
ТЕРАПЕВТИЧНА ГІПОТЕРМІЯ В ЛІКУВАННІ ТЯЖКОЇ АСФІКСІЇ НОВОНАРОДЖЕНИХ	35
Bohomolova O. A.	
CLINICAL FEATURES OF EXTERNAL GENITAL ENDOMETRIOSIS.....	36
Богомолова О. А., Ковальова К. О.	
ОСОБЛИВОСТІ ПЕРЕБІГУ ВАГІТНОСТІ У ЖІНОК ІЗ ХРОНІЧНИМ ПІЄЛОНЕФРИТОМ	36
Богун А. О., Новіков Є. В., Лисенко В. А.	
ДОДАТКОВІ ЕХОКАРДІОГРАФІЧНІ КРИТЕРІЇ ДЛЯ ВИЗНАЧЕННЯ ТИПІВ ГЕОМЕТРІЇ ЛІВОГО ШЛУНОЧКА У	
ХВОРИХ НА АРТЕРІАЛЬНУ ГІПЕРТЕНЗІЮ	37
Бодильова Ю. А.	
ПЕРСПЕКТИВИ СПІВПРАЦІ МІЖ СОЦІАЛЬНИМИ ПРАЦІВНИКАМИ ТА СІМЕЙНИМИ ЛІКАРЯМИ ЯК НАСЛІДОК	
РЕФОРМУВАННЯ СОЦІАЛЬНОЇ І МЕДИЧНОЇ СФЕР В УКРАЇНІ	37
Бойцова О. Н., Алексеенко Д. А.	
ДИНАМИКА УРОВНЯ НЕЙРОСПЕЦИФІЧЕСКИХ БЕЛКОВ ПРИ ОБЩЕЙ АНЕСТЕЗІЇ	38
Burra Mithilesh, Varahabhatla Vamsi, Nataliya Reznichenko	
CLINICAL OUTCOMES OF VITAMIN PROPHYLAXIS IN HEALTHY POPULATION.....	38
Бурлака С. Ю., Охрименко Г. И.	
СРАВНИТЕЛЬНАЯ ОЦЕНКА ЛАПАРОСКОПИЧЕСКОЙ И ОТКРЫТОЙ СПЛЕНЭКТОМИИ.....	38
Vadigala Balakrishna Reddy, Onishchenko T.	
CLINICAL AND EPIDEMIOLOGICAL CHARACTERISTICS OF IMPORT CASES OF MALARIA ACCORDING TO THE	
MATERIALS OF ZRIH 2000-2017.....	39
Vakalyuk I. I.	
INFLUENCE OF LIFESTYLE MODIFICATION ON THE LIVER FIBROGENESIS PROGRESSION	
IN PATIENTS WITH STABLE CORONARY HEART DISEASE, COMBINED WITH NON-ALCOHOLIC FATTY LIVER	
DISEASE	39
Валишевский Д., Завгородняя Н., Саржевская Л.	
ВЛИЯНИЕ ФАКОЭМУЛЬСИФИКАЦИИ КАТАРАКТЫ НА МОРФОМЕТРИЧЕСКИЕ И ГИДРОДИНАМИЧЕСКИЕ	
ПОКАЗАТЕЛИ	40
Varahabhatla Vamsi, Tekwani Vinisha, Marina Sikorskaya	
CONSEQUENTIAL COMPLICATIONS OF THROMBOLYTIC THERAPY(TLT) IN ISCHEMIC STROKE	40
Vinisha Tekwani, Varahabhatla Vamsi Nataliya Reznichenko	
THE LATEST POTENTIALS OF TOPICAL TREATMENT FOR MYCOTIC SKIN LESIONS.....	40
Вовк Ю. Г., Новикова Л. В., Коз'якін А. А.	
ОСОБЕННОСТИ КОГНИТИВНЫХ НАРУШЕНИЙ У ПАЦИЕНТОВ С МОЗГОВЫМ ИШЕМИЧЕСКИМ ПОЛУШАРНЫМ	
ИНСУЛЬТОМ В ОСТРОМ ПЕРИОДЕ ЗАБОЛЕВАНИЯ.....	41